

- abruptio placenta, 56
- acute radiation syndrome (ARS), 285-289
- acute stress disorder (ASD), 119-120
- adolescents, 67, 68, 70, 120
- Advanced Trauma Life Support (ATLS)
 - algorithm, 215, 221-223, 231, 252, 276-277, 289
- airway control, 232, 276-277
- Alfred P. Murrah Federal Building bombing, 268
- ambulance transport, 190-191
- American Association of Colleges of Nursing (AACN), 331
- American Burn Association (ABA), 247, 253, 260
- American College of Surgeons burn treatment criteria, 78-79
- American Red Cross (ARC), 12, 14-15, 153, 323
- Americans with Disabilities Act (ADA), 91
- amputation injuries, 272
- anabolic administration, 240
- animal care, 60, 96, 323
- anthrax, 12, 57, 77, 297-300, 303
- antiadrenergic drugs, 240
- Apollo 13 incident, 44-45
- arenaviruses, 297
- asthma, 73-74

- basement membrane zone (BMZ), 204-206
- "Big 5" hazardous chemicals, 196-197
- biological agents
 - category A
 - overview, 297-302
 - anthrax, 12, 57, 77, 297-300, 303
 - botulism, 297, 304
 - plague, 297, 300, 301, 305-306
 - small pox, 297, 300, 301, 307-308
 - tularemia, 297, 309
 - viruses, 297, 302, 318-319
 - category B
 - brucellosis, 302, 310
 - Glanders disease, 302, 311-312
 - Q fever, 312-313
 - ricin toxin, 302, 314-315, 318
 - salmonella, 316
 - shigella, 317
 - category C
 - rabies virus, 302, 318-319
 - zoonotic diseases, 302
- Biological Assessment Exposures Tool (BAT), 289-290
- biological disasters. *see also* biological agents
 - aerosolized agents, 77
 - anthrax, 12, 57, 77, 297-300, 303
 - bioterrorism, 77-78, 155, 295-319
 - chlorine gas, 77
 - plague, 297, 300, 301, 305-306
 - ricin toxin, 302, 314-315, 318
 - sarin gas, 77
 - small pox, 297, 300, 301, 307-308
 - viruses, 297, 302, 318-319
- bioterrorism, 155, 295-319
- blast burn mass casualty incidents
 - overview, 266-267
 - explosive devices, 267-271
 - terrorism, 267-268
 - victims, 271-284
- blast lung injuries (BLI), 277-280
- Blast Lung Injury Management Algorithm, 279
- blast-related injuries
 - amputation injuries, 272
 - to auditory system, 280
 - blast lung injuries (BLI), 277-280
 - categories, 271-275
 - to eyes, 272, 274
 - to gastrointestinal (GI) tract, 280-281
 - head trauma, 281-283
 - medical management, 275-276
 - mortality rates, 274
 - to neurological system, 281-283
 - surgical intervention, 281
- botulism, 297, 304
- breathing support
 - airway control, 232, 276-277
 - blast lung injuries (BLI), 277-280
 - burn-trauma on-site setting, 222-223, 231-232, 276-277
 - for children, 73-74
 - for radiation exposure, 289
- bronchospasm, 73, 233-234
- Brooke resuscitation protocol, 223
- Broselow tapes, 71
- brucellosis, 302
- burn centers
 - burn-focused intensive care unit (BICU), 207
 - classification as, 256-257
 - disaster response plan, 261
 - establishment of, 201-204
 - referrals
 - criteria, 207
 - for inhalation injury, 212-213
 - for lightning strikes, 210-211
 - scenario, 258-259

- regionalization, 247-248
- team approach, 203-204
- burn classification guidelines, 214-216
- burn epidemiology, 201-203
- burn flight teams (BFTs), 253
- Burn Specialty Teams (BSTs), 155, 251, 256
- burn victims. *see also* burn wounds
 - anabolics, administration of, 240
 - antiadrenergic drugs, 240
 - anxiety, 241
 - assessment methods, 78-79
 - ATLS algorithm, 215, 221-223, 231, 252, 276-277
 - blast burn mass casualty incidents, 271-284
 - blisters, 230-231
 - bronchospasm, 233-234
 - burn centers, 201-204, 207, 210-213
 - burn classification guidelines, 206-209, 214-216
 - Burn Specialty Teams (BSTs), 155, 251, 256
 - burn-trauma on-site setting, 220-236
 - cardiac support, 240
 - children, 78-80, 203, 212, 225-226, 238
 - combat burn life support algorithm, 260
 - dehydration, 234
 - edema, 234-235
 - elderly people, 203, 212, 226, 238
 - fluid volume, 224
 - hyperglycemia, 239-240
 - hypermetabolism phases, 239-240
 - infection control, 233, 237-239
 - injury statistics, 201-203, 242-243
 - multiple organ dysfunction, 238
 - nutritional support, 239
 - pain management, 79-80, 229-230, 240-242
 - physical assessment
 - abdominal, 235
 - cardiac, 234
 - chest, 233-234
 - extremities, 236
 - genitourinary, 235
 - hemodynamic state, 231-233, 277
 - neurological, 235-236
 - otolaryngologic, 233
 - skin, 204-206
 - polytrauma
 - assessment, 203, 220-221
 - pain management, 241-242
 - triage, 220-221
 - prehospital priorities
 - assessment, 220-221
 - breathing support, 222-223
 - pain management, 229-230
 - resuscitation, 220-221
 - wound care, 221-222, 225-231
 - rehabilitation, 242
 - of September 11, 248-249
 - shock, 232, 234
 - stabilizing, 254
 - survival, key stages, 206, 220
 - TBSA involvement, 224-226, 239, 250-251
 - transport coordination, 247-248, 252-254
 - treatment criteria, 78-79
 - unstable victims, 276-277
- burn wounds
 - assessment, 220-236
 - blast burn injuries, 271-284
 - chemical, 209-210, 277-278
 - classification, 208-216, 225-230
 - dressings, 230-231
 - electrical, 209-210
 - full-thickness, 228-231
 - infection control, 233, 237-239
 - major, 215-216, 225
 - management, 200-216
 - minor, 214
 - nonthermal, 209-212, 284-288
 - partial-thickness, 228, 230
 - radiation, 211-212, 284-288, 290-291
 - TBSA involvement, 224-226, 239, 250-251
 - thermal, 206-209, 290
 - treatment criteria, 78-79
- burn-focused intensive care unit (BICU), 207
- burn-trauma on-site setting. *see also* burn victims; burn wounds
 - acute phase, 236-242
 - airway control, 232
 - ATLS algorithm, 215, 221-223, 231, 252, 276-277
 - breathing support, 222-223, 231-232, 276-277
 - combat burn life support algorithm, 260
 - critical care phase, 231-233
 - emergent phase, 231-236
 - infection control, 233, 237-239
 - intraosseous cannulation, 232
 - intravenous administration
 - pain medication, 229-230
 - peripheral vascular access, 232-233
 - pain management, 229-230
 - physical assessment, 220-236

- resuscitation
 - fluid, 214, 223-224, 227, 231-236
 - secondary, 236-242
 - shock, 232, 234
 - transport coordination, 247-248, 252-254
 - triage methods, 248-251, 276-277
 - wound dressing, 230-231
- Campinha-Bacote cultural model, 105
- carbon monoxide (CO), 212-213, 234
- castor beans (ricin toxin), 302, 314-315, 318
- Centers for Disease Control and Prevention (CDC), 16, 213, 256
- Centers for Medicare and Medicaid Services (CMS), 330
- chemical, biological, radiological, nuclear, and explosive (CBRNE) terrorism, 10, 15, 17
- chemical burns, 209-210, 277-278
- Child Behavior Checklist, 65-66
- child with special healthcare needs (CSHCN), 74-76
- children
 - adolescents, 67, 68, 120
 - bioterrorism incidents, 77-78
 - breathing support, 73-74
 - as burn victims, 78-80, 203, 212, 225-226, 238
 - care during disasters, 51
 - communication with, 67-70, 76
 - deaths in disasters, 57-58
 - decontamination, 62, 77-78
 - disaster supplies, child-oriented, 59-61
 - infants, 63-64, 66, 68, 74
 - intraosseous cannulation, 232
 - missing in disasters, 58
 - older children, 64-65, 120
 - pediatric burn centers, 79
 - pediatric disaster preparedness, 58-60, 71-72
 - physical assessment
 - appearance, 72
 - asthma, 73-74
 - breathing, 73-74
 - burns, 61-62, 78-80
 - as compared to adult assessment, 61-62
 - pain levels, 74
 - respiratory distress, 73
 - temperature, 72-73
 - preschool children, 64, 66-68, 70, 120
 - psychological responses
 - infants/toddlers, 63-64
 - magical thinking, 120
 - older children, 64-65
 - screening tools, 65-66
 - self-blame, 120
 - separation anxiety, 63-66, 69, 71
 - stress management support, 70-71
 - trauma impact, 66, 69-71, 77-80
 - radiation exposure interventions, 77-78
 - school-age children, 67-68, 70, 120
 - social/cultural considerations
 - caregiver relationship, 68
 - cultural diversity, 69
 - daily routines, 69-70
 - family unit, 59-60, 104, 106
 - risk factors, 71
 - with special healthcare needs (CSHCN), 74-76
 - toddlers, 63-64, 68
 - vaccination/immunization, 77, 80

chlamydia, 302

chlorine gas, 77

Citizen Corps, 11, 164

civil disasters, 23

civil liability, 152, 173-174

coagulation zone, burns, 208-209

Cocoanut Grove Nightclub fire, 201

cold stress, 72-73

combat burn life support algorithm, 260

Commissioned Corps of the United States Public Health Service (USPHS), 155-157, 163

communication

 - alternative methods, 29-31
 - breakdown, 45-47, 148-151
 - chain of command, 34
 - challenges in disasters, 135
 - competence, 138-139
 - coordination, 250
 - crisis communication centers, 139
 - disaster terminology, 136-137, 154-155, 335
 - emergency operations center (EOC), 139
 - external/internal, 136
 - Internet resources, 139-140, 141
 - Joint Commission standards, 29-32
 - from leadership, 39-43, 48-49
 - management, 25, 28-36, 134-137, 249
 - media relations, 139-141
 - NIMS guidelines, 137
 - public information systems, 25

- skills, 36-40, 42-43
- SOLER mnemonic device, 124
- with special needs groups
 - children, 67-70, 76
 - compassion fatigue victims, 127-129
 - disabled people, 76, 91-96
 - elderly people, 87, 89
 - hearing impaired people, 87
 - visually impaired people, 93-94
- training, 138-139
- transcultural, 105
- with victim transportation services, 190-191
- Community Emergency Response Team (CERT), 5, 197, 322
- compartment syndrome, 235
- compassion fatigue, 127-129
- cricothyroidotomy, surgical, 232
- crisis communication centers, 139
- crisis intervention, 125-126
- critical incident stress debriefing (CISD), 18, 123, 125
- critical incident stress management (CISM), 18, 71
- criticality events, 285
- cultural competence
 - overview, 99-111
 - cultural assessment, 103-107
 - death rituals, 104, 111
 - models of, 103-105
 - in nursing, 102
- cultural diversity
 - of children, 69
 - cultural needs disruption, 100-101
 - death rituals, 104, 111
 - in disaster response, 120-121
 - ethnocentricity, 102
 - food issues, 110
 - stereotyping, 100-101
- cultural universals, 102-103
- culture, defined, 101-102
- cutaneous anthrax, 298-299
- cutaneous radiation injury (CRI), 290-291

- "dead on the scene" events, 281
- death rituals, 104, 111
- decontamination, 62, 77-78, 194
- Department of Health and Human Services (DHHS), 148
- Department of Homeland Security (DHS), 2, 255
- dermis, 205-206
- dirty bombs (RDD), 293

- disabled people
 - cognitive impairment, 95-96
 - communication with/about, 91-96
 - disability defined, 90-91
 - disaster shelter care, 92-93
 - hearing impairment, 94-95
 - identifying, 91-92
 - mental illness, 95-96
 - primary care givers, 93
 - service animals, 96
 - visual impairment, 93-94
 - wheelchair bound, 95
- disaster death toll, 57-58, 274
- disaster drills, 25, 34-36
- Disaster Medical Assistance Teams (DMATs), 14, 47, 155, 256
- Disaster Mitigation Act, 153
- disaster nurse responder. *see also* hazardous materials (HAZMAT); volunteer healthcare practitioners (VHP)
 - communication competency, 138-139
 - as compassion fatigue victims, 127-129
 - compensation, 158-159
 - competencies, 9-11, 99-111, 142
 - education, specific, 324-332
 - ethical considerations, 168-170, 182-183
 - federal laws, 146-148, 166-167
 - as first responders, 126-127
 - international volunteering, 323-324
 - jump kits, 323
 - liability
 - overview, 170-182
 - insurance, individual, 165-166, 179
 - legal protection, 157-163, 176-177
 - licensure, 149-151, 158, 160, 162, 165
 - NNRT, 14, 155-156
 - preparedness training, 138-139
 - reemployment issues, 166-168
 - self-care, 194-195
 - specialty teams, 12-14, 155-157
 - volunteer registration, 149, 157
- disaster nursing education
 - competencies, 330-332
 - considerations, 324-326
 - as continuing education, 327-329
 - at graduate level, 326-327
- disaster nursing research, 332-333
- disaster planning. *see also specific disaster types*
 - animal care, 60, 96, 323
 - collective response, 172-173
 - communication management, 25, 28-36, 138-139, 249

- disaster drills, 25, 34-36
- disaster terminology, 136-137, 154-155, 335
- family unit priorities, 59-60, 141, 323
- HAZMAT incidents, 191-193
- inadequate, 133-135
- Joint Commission standards, 29-34
- jump kits, 323
- media relations, 139-141
- medical records accessibility, 30
- NIMS standards, 24-29
- patient care standards, 172-174, 181-182
- pediatric disaster preparedness, 58-60, 71-72
- population-based healthcare, 172-173
- preparedness training, 27-28, 138-139
- Disaster Relief Act, 153
- disaster response
 - overview, 1-8
 - federal, 5, 11-14, 153-157, 171-173, 255-258
 - international, 323-324
 - local/state, 12-13
 - national, 322-323
 - phases, 15-18, 115-117
- disaster shelters, 59, 92-93
- disaster terminology, 136-137, 154-155, 335
- disasters. *see also specific disaster types*
 - federalism in disaster response, 171-173
 - law v. medical ethics, 168-170
 - response levels, 322-324
 - risk management, 168-169
- earthquakes, 3-4
- Ebola virus, 297
- elderly people
 - as burn victims, 203, 212, 226, 238
 - cognitive changes, 89-90
 - communication with, 87, 89
 - dementia, 89-90
 - evacuation kit, 90
 - food safety issues, 87-88
 - old age, categories of, 84-85
 - physiological changes
 - bladder capacity, 89
 - body composition, 86
 - cardiopulmonary factors, 89
 - senses, 87-88
 - skin, 86-87
 - vision changes, 87, 93-94
- electrical burns
 - complications from, 210, 235
 - lightning, 210-211
 - renal failure, 235
- emergence support functions (ESF), 156-157
- emergency declaration (by states), 154
- Emergency Management Assistance Compact (EMAC)
 - disaster response management, 12-13, 17, 150
 - reemployment issues, 166-168
 - VHP protection/compensation, 158-159, 165
- emergency medical system (EMS), 60-61
- Emergency Medical Treatment and Active Labor Act (EMTALA), 179-182
- emergency operations center (EOC), 139
- Emergency Response Guidebook (ERG), 197
- emergency response plan (ERP), 192
- Emergency System for the Advanced Registration of Health Professions Volunteers, 149
- emotional intelligence (EI), 41
- epidermis, 204-206
- Erikson, Eric, 85
- ethical/legal conundrum, 172-182
- ethnocentricity, 102
- evidence-based practice (EBP), 332-333
- explosive devices
 - blast waves, 269-270
 - blast winds, 269
 - dirty bombs, 293
 - high-order explosives, 268-271
 - IEDs, 270-271
 - low-order explosives, 268-271
 - projectiles, 269, 270, 274
 - second blast, 270-271
 - shock waves, 269
- extremity perfusion, 236
- family unit
 - autonomy, 104, 106
 - disaster planning, 59-60, 141, 323
 - separation anxiety, 63-66
 - support for, 59-60
- Federal Emergency Management Agency (FEMA), 2, 5, 7-8, 31-32, 255
- federal government. *see also specific government entities*
 - disaster response, 5, 11-14, 153-157, 255-258

- laws
 - disaster nurse responder, 146-148, 166-167
 - federal employees, 178-179
 - federalism, 171-173
 - policy, 169
- federal medical stations (FMS), 11-14
- Federal Response Plan (FRP), 153
- Federal Tort Claims Act (FTCA), 178-179
- federalism in disaster response, 171-173
- fetal monitoring, 55-56
- fifth-degree burns, 229
- fifth-level disaster victims, 117
- first responders. *see also* hazardous materials (HAZMAT)
 - ambulance, 190-191
 - disaster nurse, 126-127
 - network communications, 139
 - radiation events, 293
 - second hit danger, 17, 148
- first-degree burns, 227, 230
- FLACC pain scale, 74
- Flight 93, 46
- fluid resuscitation, 214, 223-224, 227, 231-236
- food safety issues, 87-88, 302, 316-317
- fourth-degree burns, 227-229
- fourth-level disaster victims, 117
- full-thickness burn wounds, 228-231

- gastrointestinal (GI) tract injuries
 - blast injuries, 280-281
 - radiation, 286-287
- Giger and Davidhizar Transcultural Assessment model
 - biological variations, 107
 - communication, 105
 - cultural comparisons, 108-109
 - environmental control, 106-107
 - personal space, 106
 - sense of time, 106
 - social organization, 106
- Glanders disease, 302, 311-312
- Glasgow Coma Scale (GCS), 281-283
- Good Samaritan statutes, 158, 159, 175-176
- Green Ramp disaster, 258-259

- hazard vulnerability analysis (HVA), 195, 329-330
- hazardous materials (HAZMAT)
 - ambulance involvement, 190-191
 - "Big 5" hazardous chemicals, 196-197
 - dealing with, 337-340
 - decontamination, 194
 - disaster planning, 191-193
 - disaster response, 192-196
 - disaster scenarios, 187-189, 192-193
 - Emergency Response Guidebook (ERG), 197
 - emergency response plan (ERP), 192
 - environmental considerations, 195-196
 - five senses determination, 196
 - hazard vulnerability analysis (HVA), 195, 329-330
 - hospital involvement, 191
 - personal protective equipment (PPE), 10, 16, 194, 195, 196
 - rule of thumb, 196
 - weather awareness, 195
- HAZMAT. *see* hazardous materials (HAZMAT)
- head trauma, 281-283
- Health Insurance Portability and Accountability Act (HIPAA), 30
- healthcare organizations. *see also* hospitals
 - burn center classification, 256-257
 - cultural competence, 99-101
 - disaster planning
 - communication management, 25, 28-36, 249
 - disaster drills, 25, 34-36
 - disaster vulnerabilities, 22-24
 - funds allocation, 26
 - Joint Commission standards, 29-34
 - surge capacity, 11
 - EMTALA protections, 179-182
 - liability, 176-182
 - NIMS standards, 24-29, 137, 156
 - ostensible agency theory, 177-178
 - population-based healthcare, 172-173
 - resource management, 28-29
 - risk assessment, 21-24
 - VHP, reemployment issues, 166-168
- hematopoietic syndrome, 287
- hemidesmosomes, 206
- hemodynamic state, 231-233, 277
- hemorrhagic fever, viral, 297
- hierarchy of needs, 85
- high-order explosives, 268-271
- Homeland Security Presidential Directive (HSPD) 5, 255
- hospitals
 - burn center classification, 256-257
 - disaster scenarios, 191
 - EMTALA protections, 179-182
 - HAZMAT incidents, 191
 - liability protection, 176-178

- Medicare-participating hospitals, 180
- NIMS standards, 24-29
- radiation events, patient care, 287-289
- triage, 251
- "hot zone," 17
- Hurricane Katrina
 - communication breakdown, 134, 149-151
 - disaster response, 46-48, 150-151
 - elderly victims, 84
 - legal issues, 150-151
 - missing children, 58
- Hurricane Rita
 - communication breakdown, 134, 149-150
 - disaster response, 47-48
 - missing children, 58
- hyperemia zone, burns, 208-209
- hyperglycemia, 239-240
- hypermetabolism, 239-240
- hypertension, 53-54

- Illinois Medical Emergency Response Team (IMERT), 12-13, 17, 322
- Illinois Nurse Volunteer Emergency Needs Team (INVENT), 12-13
- immune system response, 56-57, 238-239
- immunity, sovereign, 174-175
- immunization/vaccination, 56-57, 77, 80
- improvised explosive devices (IEDs), 270-271
- Incident Command System (ICS)
 - communication coordination, 250
 - preparedness training, 25-28
 - roles definition, 38-39, 42
- indemnification, 173-174
- individual liability insurance, 165-166, 179
- infection control. *see also* biological agents; biological disasters
 - in burn victims, 233, 237-239
 - of communicable diseases, 15-17, 76-77
 - in radiation injury, 290
- infectious disease, 12, 15-17, 76-77
- influenza pandemic, 12, 15-16
- inhalation anthrax, 300
- inhalation injury, 212-213
- insurance, liability, 165-166, 179
- International Coalition for Mass Casualty Education (INCMCE), 331
- International Strategy for Disaster Reduction* (U.N.), 137
- international volunteering, 323-324
- Internet resources, 139-140, 141
- intracranial trauma, 235-236
- intraosseous cannulation, 232

- Jackson burn classification, 208-209
- Joint Commission standards
 - communication, 29-32
 - disaster planning, 29-34
 - emergency management plans, 329-330
 - medical records accessibility, 30
 - resource management, 32-33
 - technology service disruption, 30
- Joint Information Center (JIC)
- Joint Information System (JIS)
- jump kits, 323
- JumpSTART Pediatric MCI Triage Tool, 58

- Lassa fever, 297
- law v. medical ethics, 168-170
- leadership
 - communication management, 25, 28-36, 249
 - communication skills, 39-43, 48-49
 - as compared to management, 39-41
 - competencies, 38-39
 - emotional intelligence (EI), 41
 - incident command system, 38-39
 - personnel development, 43-44
 - scenarios, lessons learned, 44-48
 - transformational skills, 41, 48-49
- legal/ethical conundrum, 172-182
- levels of disaster response, 5-8
- liability
 - civil, 152, 173-174
 - EMTALA protections, 179-182
 - of federal employees, 178-179
 - of healthcare organizations, 176-182
 - immunity, 174-175
 - insurance, individual, 165-166, 179
 - legal protection, 157-166, 176-177
 - licensure, 149-151, 158, 160, 162, 165
 - malpractice, 157-158
 - in mass casualty events, 174, 176-177
 - ostensible agency theory, 177-178
 - respondeat superior, 177-178
 - vicarious, 177-178
- licensure
 - interstate reciprocity, 165
 - problems with during disasters, 168
 - state, 149-151
 - VHP license issues, 149-151, 158, 160, 162, 165
- lightning injuries, 210-211
- liquid petroleum gas (LPG) disaster, 260-261
- local health departments (LHDs), 11, 16

- localized radiation exposure (LRE), 290-291
- low-order explosives, 268-271
- low-risk victims, 194
- Lund and Browder burn assessment method, 79, 225
- Machupo virus, 297
- major disaster declaration (presidential declaration), 154
- malpractice, 157-158
- management v. leadership, 39-41
- man-made disasters, 2, 5, 23, 329-330
- Marburg virus, 297
- Maslow, Abraham, 85
- mass burn casualty events. *see also* blast burn mass casualty incidents; burn victims
- Cocoanut Grove Nightclub fire, 201
 - disaster planning, 250
 - Green Ramp disaster, 258-259
 - incident management, 248-262, 274-276
 - lessons learned, 261
 - MGM Grand Hotel fire, 260
 - personnel coordination, 252-253
 - Station Nightclub fire, 249
 - supplies/equipment, 253
 - terrorism, 267-268
 - transport coordination, 247-248, 252-254
 - triage methods, 248-251, 276-277
 - unstable victims, 276-277
 - upside-down triage, 276
- mass casualty events. *see also* blast burn mass casualty incidents; HAZMAT; mass burn casualty events
- burn centers, 247
 - federal involvement, 255
 - healthcare organizations involvement, 176-177
 - legal/ethical conundrum, 172-182
 - liability, 174, 176-177
 - mass burn casualty events, 201
 - mass care operations, 12
 - natural disaster, 266-267
 - nursing education preparation, 324-326
 - ostensible agency theory, 177-178
 - patient care standards, 172-174, 181-182
 - terrorism, 267-268
- mass radiological casualties, 284
- maternal mortality, 57
- media relations, 139-141
- medical countermeasures, 291-292
- medical ethics v. law, 168-170
- Medical Reserve Corps (MRC), 10, 11-12, 163-165, 197
- Medicare-participating hospitals, 180
- memorandums of understanding (MOUs), 158
- MGM Grand Hotel fire, 260
- minimum lymphocyte counts (MLC), 288
- minor burns, 214
- multiagency coordination system (MAC), 25
- multiple organ dysfunction, 238
- mutual aid agreements, 11, 17, 27, 158
- National Conference of Commissioners on Uniform State Laws (NCCUSL), 149, 151, 157-158
- National Disaster Medical System (NDMS), 14, 148, 153, 155, 255-257
- National Incident Management System (NIMS), 24-29, 137, 156
- National Medical Response Teams (NMRTs), 155
- National Nurse Response Teams (NNRT), 14, 155-156
- National Response Plan (NRP), 156, 255
- National Transportation Safety Board (NTSB), 255
- natural disasters, 2-4, 23, 171, 266-267
- neurological system, 281-283
- New Madrid Fault earthquake disaster, 3-4
- NIMS standards, 24-29, 137, 156
- nonthermal burns
- chemical, 209-210
 - electrical, 210-211
 - lightning, 210-211
 - radiation, 211-212, 284-288
- nuclear terrorism, 77-78, 284-285
- nursing professional development, 328-330
- ostensible agency theory, 177-178
- otolaryngologic assessment, 233
- pain management
- burn victims, 79-80, 229-230, 240-242
 - pain scales, 74-76
 - polytrauma burn victims, 241-242
 - radiation injury, 290
- pain scales, 74-76
- pandemics, 12, 15-17
- Parkland fluid resuscitation protocol, 223, 233
- partial-thickness burn wounds, 228, 230
- "patient dumping," 179-180

- Pediatric Assessment Triangle (PAT), 72
- pediatric disaster preparedness, 58-60, 71-72
- Pentagon attack, 45-46
- "person down unknown cause," 189
- personal protective equipment (PPE), 10, 16, 194, 195, 196
- pets, 60, 96, 323
- plague, 297, 305-306
- polytrauma burn victims, 203, 220-221, 241-242
- population-based healthcare, 172-173
- post-traumatic stress disorder (PTSD), 119-120
- potassium iodide (KI)
- pregnancy
 - abruptio placenta, 56
 - cardiovascular complications, 53-55
 - care in biological disasters, 56-57
 - disaster needs, 51
 - fetal monitoring, 55-56
 - hypertension, 53-54
 - maternal mortality, 57
 - supine hypotension, 54-55
 - uterine rupture, 56
 - vaginal bleeding, 55-56
- prehospital priorities
 - assessment, 220-221
 - breathing support, 222-223
 - pain management, 229-230
 - resuscitation, 223-224
 - wound care, 221-222, 225-231
- preparedness training, disaster, 138-139
- presbycusis, 87
- primary blast injuries, 271
- primary disaster victims, 117
- primary prevention activities, 116
- projectile explosive devices, 269, 270, 274
- proprioception, 88
- psychological first aid (PFA)
 - basic care, 122-123
 - basic principles, 123
 - eight core actions, 123
 - interventions, 124
- psychological responses
 - acute stress disorder (ASD), 119-120
 - bereavement process, 118-119
 - brain changes, 119
 - of children, 63-66, 69-71
 - post-traumatic stress disorder (PTSD), 119-120
 - separation anxiety, 63-65, 70-71
 - spectrum of, 119
 - to trauma, 66, 69-71, 77-80, 117-121
- psychological support
 - cognitive behavioral approaches, 126
 - crisis intervention, 125-126
 - critical incident stress debriefing (CISD), 124, 125
 - grief, 126
 - long-term interventions, 126
 - meaning of loss, 121
 - nursing assessment, 120-123
 - psychological first aid (PFA), 122-124
 - screening tools, 65-66
 - short-term interventions, 123
- public health focus
 - EMTALA protections, 179-182
 - legal/ethical conundrum, 172-182
 - preparedness, 148
 - USPHS, 155-157, 163
- Public Health Security and Bioterrorism Preparedness and Response Act, 148
- Purnell cultural model, 103-104
- Q fever, 302, 312-313
- quaternary blast injury, 272, 274
- rabies virus, 302, 318-319
- radiation burns, 211-212, 284-288, 290-291
- radiation dispersion devices (RDD), 284
- radiation events
 - ATLS algorithm, 289
 - emergency department involvement, 288
 - etiology, 285
 - hospitalization, 287-289
 - injuries
 - acute radiation syndrome (ARS), 285-289
 - cutaneous radiation injury (CRI), 290-291
 - gastrointestinal syndrome, 286-287
 - hematopoietic syndrome, 287
 - radiation burns, 211-212, 284-288, 290-291
 - whole-body exposure, 286-287
 - localized radiation exposure (LRE), 290-291
 - radiation dispersion devices (RDD), 284
 - treatment
 - antidote, 78
 - breathing support, 289
 - decontamination, 77-78
 - for exposure, 291-293
 - medical countermeasures, 291-292

- pharmacologic treatment, 291-292
- treatment objectives, 292
- victim care priorities, 292-293
- triage methods, 286-289
- rapid sequence intubation, 232
- renal failure, 235
- respondeat superior, 177-178
- resuscitation
 - emergent phase, 231-236
 - fluid, 214, 223-224, 227, 231, 232
 - secondary resuscitation, 236-242
- ricin toxin, 302, 314-315, 318
- Robert T. Stafford Disaster Relief and Emergency Assistance Act, 137, 153
- Rule of Hands burn assessment tool, 225-226
- Rule of Nines burn assessment tool, 79, 225-226
- rule of thumb, 196

- Sacco Triage Method, 72
- salmonella, 316
- SANDELL tape, 71-72
- sarin gas, 77
- second blast, 270-271
- second disaster, 17, 117
- second hit danger, 17, 148
- secondary blast injuries, 271-272
- secondary disaster victims, 117
- secondary prevention activities, 116
- secondary resuscitation, 236-242
- second-degree burns, 228, 230
- Section 504 of the Rehabilitation Act, 91
- September 11, 2001
 - burn victims, 248-249
 - children, psychological trauma, 71
 - community response, 197
 - lessons learned, 45-46
 - second hit danger, 148
- service animals, 96
- shigella, 317
- shock, 232, 234
- skin physiology, 86-87, 204-206
- small pox, 297, 300, 301, 307-308
- SMART tape, 72
- SOLER mnemonic device, 124
- sovereign immunity, 174-175
- spontaneous volunteers, 152, 168
- stasis zone, burns, 208-209
- state government
 - disaster response, 5, 12-13
 - EMAC response, 17, 158
 - emergency declarations, 154
 - emergency management, 152-154
 - emergency preparedness, 148
 - laws
 - federalism, 171-173
 - legal protection, 166-167
 - licensure, 149-152, 165
 - policy, 169
 - state-based VHP organizations, 163-164
 - Station Nightclub fire, 249
 - stereotyping, cultural, 100-101
 - Strategic National Stockpile (SNS), 11-12, 16, 256
 - stress
 - acute stress disorder (ASD), 119-120
 - cold stress, 72-73
 - critical incident stress debriefing (CISD), 124, 125
 - post-traumatic stress disorder (PTSD), 119-120
 - stress management support, 70-71
 - suicide bombings, 268
 - Sunrise Model, cultural, 104-105
 - supine hypotension, 54-55
 - surge capacity, 11
 - surgical intervention, 281
- terrorism
 - attacks, 5, 17, 267-268
 - bioterrorism, 77-78, 155, 295-319
 - CBRNE terrorism, 10, 15, 17
 - criticality events, 285
 - dirty bombs (RDD), 293
 - mass casualty events, 267-268
 - nuclear, 77-78, 284-285
 - second hit danger, 17, 148
 - thermomechanical, 78-79
 - weapons of mass destruction (WMD), 10, 15, 17, 155
- tertiary blast injuries, 272
- tertiary prevention activities, 116
- thermal burns, 206-209, 235, 290
- thermomechanical terrorism, 78-79
- third-degree burns, 230
- third-level disaster victims, 117
- tick-borne viruses, 302
- time to emesis (TE), 287, 289
- toddlers, 63-64, 68
- total body surface area (TBSA), 79, 204, 207, 224-226, 239, 250-251
- transport coordination
 - ambulance, 190-191
 - breakdown, 147
 - for burn victims, 247-248, 252-254
- Trauma Events Screening Inventory-Child version (TESI-C), 66

- Trauma Symptom Checklist for Children (TSCC), 66
- triage
 burn-trauma on-site setting, 248-251, 276-277
 JumpSTART Pediatric MCI Triage Tool, 58
 mass burn casualty events, 248-251, 276
 polytrauma burn victims, 220-221
 radiation incidents, 286-289
 Sacco Triage Method, 72
 unstable victims, 276-277
 upside-down triage, 276
- tsunami disaster, Aceh, Indonesia, 4
- tularemia, 297, 309
- tympanic membrane (TM) injuries, 280
- typhus fever, 302
- Uniform Emergency Volunteer Health Practitioner's Act (UEVHP)
 overview, 149-163
 Alternative A, 159
 Alternative B, 159, 160
 facilitation volunteer healthcare workers, 152
 Good Samaritan statutes, 158, 159
 reemployment issues, 166-168
- United Nations, 6, 7, 137
- United States Public Health Service (USPHS), 155-157, 163
- upside-down triage, 276
- U.S. Army Special Medical Augmentation Response Teams (SMARTs), 257
- U.S. Institute of Surgical Research (USAISR), 258-259
- U.S. National Response Plan (USNRP), 250
- U.S.A. Freedom Corps, 11, 158
- uterine rupture, 56
- utilities management, 33
- vaccination/immunization, 56-57, 77, 80
- vaginal bleeding, 55-56
- vicarious liability, 177-178
- Vietnam War
 aeromedical evacuation, 253-254
 transport coordination, 247
- viruses, 297, 302, 318-319
- volunteer healthcare practitioners (VHP).
 see also disaster nurse responder; first responders; hazardous materials (HAZMAT)
 compensation, 158-159
 considerations, 15
 cultural competence, 99-111
 disaster nurse education, 324-332
- EMAC protection/compensation, 158, 165
 emergency medical, 148
 Good Samaritan statutes, 158, 159, 175-176
 during Hurricane Katrina, 150-151
 indemnity, 174
 international volunteering, 323-324
 interstate healthcare workers, 151
 jump kits, 323
 legal/ethical conundrum, 168-170, 182-183
 liability
 civil, 152, 173-174
 immunity, 174-175
 insurance, individual, 165-166, 179
 protection, 152, 157-160, 165, 175-176
 vicarious liability, 177-178
 licensure, 149-151, 158, 160, 162, 165
 managing, 10-11, 17-18
 mass casualty events, 152-153
 national sponsorship/registering, 154
 NNRT, 14, 155-156
 ostensible agency theory, 177-178
 recovery phase, 18
 reemployment issues, 166-168
 registration, 149, 157
 restrictions, 153
 safety, 14-15
 skill sets, 17-18
 state-based organizations, 163-164
 training, 15
 UEVHP protections, 149-163
 vicarious liability, 177-178
 VPA protections, 159-160, 175
 workers' compensation, 152, 153
 Volunteer Protection Act (VPA), 159-160, 175
- weapons of mass destruction (WMD)
 categories, 270-271
 IEDs, 270-271
 use in terrorism, 10, 15, 17, 155
- white phosphorus (WP) burns, 277-278
- whole-body radiation exposure victims, 286-289
- Wong-Baker FACES pain scale, 74-75
- workers' compensation, 152, 153
- 0 to 10 pain scale, 74, 75
- zoonotic diseases, 302